

Prepared for:
LET IT GROW HEMP


 4371 5950 RD
 OLATHE, CO USA 81425

100mg Synergy Softgels

Batch ID or Lot Number: 52375	Test: Microbial Contaminants	Reported: 02May2022	USDA License: NA
Matrix: Finished Product	Test ID: T000205188	Started: 28Apr2022	Sampler ID: NA
	Method(s): TM25 (PCR) TM24, TM26, TM27 (Culture Plating)	Received: 26Apr2022	Status: NA

Microbial Contaminants

Microbial Contaminants	Method	LOD	Quantitation Range	Result	Notes
STEC	TM25: PCR	10 ⁰ CFU/g	NA	Absent	Free from visual mold, mildew, and foreign matter
<i>Salmonella</i>	TM25: PCR	10 ⁰ CFU/g	NA	Absent	
Total Yeast and Mold*	TM24: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	
Total Aerobic Count*	TM26: Culture Plating	10 ² CFU/g	1.0x10 ³ - 1.5x10 ⁵	None Detected	
Total Coliforms*	TM27: Culture Plating	10 ¹ CFU/g	1.0x10 ² - 1.5x10 ⁴	None Detected	

Final Approval


 Eden Thompson-Wright
 02May2022
 09:21:00 AM MDT



 Brett Hudson
 02May2022
 10:28:00 AM MDT


PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/4828f772-6142-40d4-bfe1-1d609a3a801e>
Definitions

* Values recorded in scientific notation, a common microbial practice of expressing numbers that are too large to be conveniently written in decimal form. Examples: 10² = 100 CFU, 10³ = 1,000 CFU, 10⁴ = 10,000 CFU, 10⁵ = 100,000 CFU
 CFU/g = Colony Forming Units per Gram, LOD = Limit of Detection
 ULQ = Upper Limit of Quantitation, LLOQ = Lower Limit of Quantitation
 STEC = Shiga Toxin-Producing E. coli

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

4828f772614240d4bfe11d609a3a801e.1